

Table 7.78A Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Numbers in Thousands, 2002

| Drug | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|---|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| Any Illicit Drug ² | 16,644 | 1,369 | 15,214 |
| Marijuana and Hashish | 12,561 | 1,091 | 11,449 |
| Cocaine | 1,874 | 283 | 1,568 |
| Crack | 541 | 101 | 421 |
| Heroin | 155 | 30 | 125 |
| Hallucinogens | 941 | 106 | 817 |
| LSD | 51 | 9 | 42 |
| PCP | 35 | 13 | 22 |
| Ecstasy | 553 | 70 | 483 |
| Inhalants | 334 | 22 | 312 |
| Nonmedical Use of Any Psychotherapeutic ³ | 5,231 | 431 | 4,762 |
| Pain Relievers | 3,583 | 258 | 3,290 |
| Tranquilizers | 1,617 | 120 | 1,491 |
| Stimulants | 1,017 | 162 | 853 |
| Methamphetamine | 535 | 116 | 416 |
| Sedatives | 389 | 39 | 338 |
| Any Illicit Drug Other Than Marijuana ² | 7,356 | 738 | 6,558 |

*Low precision; no estimate reported.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.78B Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Percentages, 2002

| Drug | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|---|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| Any Illicit Drug ² | 7.9 | 28.7 | 7.4 |
| Marijuana and Hashish | 6.0 | 22.9 | 5.6 |
| Cocaine | 0.9 | 5.9 | 0.8 |
| Crack | 0.3 | 2.1 | 0.2 |
| Heroin | 0.1 | 0.6 | 0.1 |
| Hallucinogens | 0.4 | 2.2 | 0.4 |
| LSD | 0.0 | 0.2 | 0.0 |
| PCP | 0.0 | 0.3 | 0.0 |
| Ecstasy | 0.3 | 1.5 | 0.2 |
| Inhalants | 0.2 | 0.5 | 0.2 |
| Nonmedical Use of Any Psychotherapeutic ³ | 2.5 | 9.0 | 2.3 |
| Pain Relievers | 1.7 | 5.4 | 1.6 |
| Tranquilizers | 0.8 | 2.5 | 0.7 |
| Stimulants | 0.5 | 3.4 | 0.4 |
| Methamphetamine | 0.3 | 2.4 | 0.2 |
| Sedatives | 0.2 | 0.8 | 0.2 |
| Any Illicit Drug Other Than Marijuana ² | 3.5 | 15.5 | 3.2 |

*Low precision; no estimate reported.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.79A Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Numbers in Thousands, 2002

| Drug | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|---|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| Any Illicit Drug ² | 15,165 | 1,347 | 13,780 |
| Marijuana and Hashish | 11,708 | 1,091 | 10,596 |
| Cocaine | 1,782 | 262 | 1,497 |
| Crack | 508 | 80 | 409 |
| Heroin | 125 | 30 | 95 |
| Hallucinogens | 889 | 106 | 764 |
| LSD | 51 | 9 | 42 |
| PCP | 35 | 13 | 22 |
| Ecstasy | 500 | 70 | 430 |
| Inhalants | 298 | 22 | 277 |
| Nonmedical Use of Any Psychotherapeutic ³ | 4,615 | 431 | 4,170 |
| Pain Relievers | 3,175 | 258 | 2,906 |
| Tranquilizers | 1,379 | 120 | 1,253 |
| Stimulants | 1,004 | 162 | 839 |
| Methamphetamine | 532 | 116 | 413 |
| Sedatives | 309 | 39 | 269 |
| Any Illicit Drug Other Than Marijuana ² | 6,562 | 716 | 5,809 |

*Low precision; no estimate reported.

¹ Estimates in the total column are for all persons aged 18 to 49, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.79B Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Percentages, 2002

| Drug | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|---|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| Any Illicit Drug ² | 11.5 | 30.8 | 10.9 |
| Marijuana and Hashish | 8.9 | 24.9 | 8.4 |
| Cocaine | 1.4 | 6.0 | 1.2 |
| Crack | 0.4 | 1.8 | 0.3 |
| Heroin | 0.1 | 0.7 | 0.1 |
| Hallucinogens | 0.7 | 2.4 | 0.6 |
| LSD | 0.0 | 0.2 | 0.0 |
| PCP | 0.0 | 0.3 | 0.0 |
| Ecstasy | 0.4 | 1.6 | 0.3 |
| Inhalants | 0.2 | 0.5 | 0.2 |
| Nonmedical Use of Any Psychotherapeutic ³ | 3.5 | 9.8 | 3.3 |
| Pain Relievers | 2.4 | 5.9 | 2.3 |
| Tranquilizers | 1.0 | 2.7 | 1.0 |
| Stimulants | 0.8 | 3.7 | 0.7 |
| Methamphetamine | 0.4 | 2.6 | 0.3 |
| Sedatives | 0.2 | 0.9 | 0.2 |
| Any Illicit Drug Other Than Marijuana ² | 5.0 | 16.4 | 4.6 |

*Low precision; no estimate reported.

¹ Estimates in the total column are for all persons aged 18 to 49, including those with unknown probation status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.80A Any Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics:
Numbers in Thousands, 2002**

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 16,644 | 1,369 | 15,214 |
| AGE | | | |
| 18-49 | 15,165 | 1,347 | 13,780 |
| 18-25 | 6,264 | 605 | 5,650 |
| 26-34 | 3,699 | 339 | 3,360 |
| 35-49 | 5,201 | 403 | 4,770 |
| GENDER/AGE | | | |
| Male 18 or Older | 10,126 | 1,109 | 8,983 |
| Male 18-49 | 9,300 | 1,088 | 8,177 |
| Female 18 or Older | 6,518 | 259 | 6,231 |
| Female 18-49 | 5,865 | 259 | 5,603 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.80B Any Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 7.9 | 28.7 | 7.4 |
| AGE | | | |
| 18-49 | 11.5 | 30.8 | 10.9 |
| 18-25 | 20.2 | 34.5 | 19.3 |
| 26-34 | 10.5 | 26.4 | 10.0 |
| 35-49 | 8.0 | 30.1 | 7.5 |
| GENDER/AGE | | | |
| Male 18 or Older | 10.0 | 31.2 | 9.2 |
| Male 18-49 | 14.3 | 33.5 | 13.3 |
| Female 18 or Older | 6.0 | 21.2 | 5.8 |
| Female 18-49 | 8.8 | 22.8 | 8.6 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.81A Any Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 5,740 | 765 | 4,958 |
| AGE | | | |
| 18-49 | 5,292 | 744 | 4,543 |
| 18-25 | 2,548 | 343 | 2,199 |
| 26-34 | 1,233 | 191 | 1,041 |
| 35-49 | 1,512 | 209 | 1,302 |
| GENDER/AGE | | | |
| Male 18 or Older | 3,773 | 614 | 3,154 |
| Male 18-49 | 3,484 | 593 | 2,886 |
| Female 18 or Older | 1,967 | 151 | 1,804 |
| Female 18-49 | 1,808 | 151 | 1,656 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.81B Any Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 2.7 | 16.0 | 2.4 |
| AGE | | | |
| 18-49 | 4.0 | 17.0 | 3.6 |
| 18-25 | 8.2 | 19.5 | 7.5 |
| 26-34 | 3.5 | 14.9 | 3.1 |
| 35-49 | 2.3 | 15.6 | 2.0 |
| GENDER/AGE | | | |
| Male 18 or Older | 3.7 | 17.3 | 3.2 |
| Male 18-49 | 5.4 | 18.3 | 4.7 |
| Female 18 or Older | 1.8 | 12.4 | 1.7 |
| Female 18-49 | 2.7 | 13.3 | 2.5 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.82A Any Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 19,797 | 1,771 | 18,004 |
| AGE | | | |
| 18-49 | 17,212 | 1,727 | 15,475 |
| 18-25 | 6,733 | 756 | 5,969 |
| 26-34 | 4,636 | 508 | 4,127 |
| 35-49 | 5,843 | 464 | 5,379 |
| GENDER/AGE | | | |
| Male 18 or Older | 13,402 | 1,418 | 11,977 |
| Male 18-49 | 11,420 | 1,380 | 10,033 |
| Female 18 or Older | 6,395 | 353 | 6,027 |
| Female 18-49 | 5,793 | 347 | 5,442 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.82B Any Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 9.4 | 37.1 | 8.8 |
| AGE | | | |
| 18-49 | 13.1 | 39.4 | 12.2 |
| 18-25 | 21.7 | 43.0 | 20.4 |
| 26-34 | 13.2 | 39.5 | 12.2 |
| 35-49 | 9.0 | 34.7 | 8.4 |
| GENDER/AGE | | | |
| Male 18 or Older | 13.3 | 39.9 | 12.3 |
| Male 18-49 | 17.6 | 42.5 | 16.3 |
| Female 18 or Older | 5.8 | 28.9 | 5.6 |
| Female 18-49 | 8.7 | 30.6 | 8.3 |

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.83A Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Numbers in Thousands, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 17,483 | 777 | 16,681 |
| AGE | | | |
| 18-49 | 13,619 | 672 | 12,934 |
| 18-25 | 4,085 | 232 | 3,850 |
| 26-34 | 3,590 | 152 | 3,431 |
| 35-49 | 5,944 | 288 | 5,654 |
| GENDER/AGE | | | |
| Male 18 or Older | 6,041 | 485 | 5,551 |
| Male 18-49 | 4,883 | 448 | 4,429 |
| Female 18 or Older | 11,442 | 291 | 11,131 |
| Female 18-49 | 8,736 | 224 | 8,505 |

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.6 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.83B Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Percentages, 2002

| Demographic Characteristic | Total ¹ | PROBATION STATUS DURING THE PAST YEAR | |
|----------------------------|--------------------|---------------------------------------|------------------|
| | | On Probation | Not on Probation |
| TOTAL 18 OR OLDER | 8.3 | 16.3 | 8.1 |
| AGE | | | |
| 18-49 | 10.4 | 15.4 | 10.2 |
| 18-25 | 13.2 | 13.2 | 13.2 |
| 26-34 | 10.2 | 11.8 | 10.2 |
| 35-49 | 9.1 | 21.5 | 8.9 |
| GENDER/AGE | | | |
| Male 18 or Older | 6.0 | 13.7 | 5.7 |
| Male 18-49 | 7.5 | 13.8 | 7.2 |
| Female 18 or Older | 10.5 | 23.9 | 10.3 |
| Female 18-49 | 13.1 | 19.8 | 13.0 |

*Low precision; no estimate reported.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.6 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

¹ Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.